



Light**light**.





# CONTENTS

<b>12</b>	Comparison table
<b>13</b>	Product line:
<b>14</b>	Pipe Junior 2
<b>15</b>	Pipe Junior 4
<b>16</b>	Pipe Junior 6
<b>17</b>	Pipe Junior 8
<b>18</b>	Pipe 2
<b>19</b>	Pipe 4
<b>20</b>	Pipe 6
<b>21</b>	Pipe 8
<b>22</b>	Pipe Wide 42
<b>23</b>	Pipe Wide 44
<b>24</b>	Pipe Wide 63
<b>25</b>	Pipe Wide 84
<b>26</b>	Pipe Tisson 90
<b>27</b>	Pipe Tisson 150
<b>28</b>	Pipe Python 20
<b>30</b>	Transportation kits dimensions
<b>31</b>	Contacts



---

Unique  
POWER TO WEIGHT  
ratio



Ultimate soft  
light **without** any  
**additional**  
**diffusers**



---

Remote control  
via Bluetooth  
and CRMX  
(Lumen Radio)





Handmade  
in Germany





Waterproof

Underwater  
usage

Compact and  
travel-friendly



*ready to use*



*folded*

# SUMMARY TABLE OF SPECIFICATIONS

Model	PIPE JR 2	PIPE JR 4	PIPE JR 6	PIPE JR 8	PIPE 2	PIPE 4	PIPE 6	PIPE 8
	PIPE WIDE 42	PIPE WIDE 44	PIPE WIDE 63	PIPE WIDE 84		PIPE PYTHON 20	PIPE TISSON 90	PIPE TISSON 150
CCT range, K	2650 - 6000							
CRI	96/98							
Operating T, °C	Min: -15° C / Max: +40° C							
Storage T, °C	15-20° C							
Controller IP rating	IP20							
Lamp Head IP rating	IP67							
Wireless control	Lumen Radio (CRMX)							
Frequency PWM, KHz	128 (flicker free)							
Underwater usage up to depth, m	2							
Mounting system	16mm baby bin							
Cooling	Passive, noiseless							
DMX settings (510 channels)	1st channel - CCT, 2nd channel - power, 8bit							
Certifications	CE, RoHS							
Dimming steps special mode	0,20%							
Transition dimming time, ms	0-9999							



Model	PIPE JUNIOR 2
CCT synthesizer, K	2650 - 6000
CRI	96/98
Lamp head size (L × W × H), cm	60 × 20 × 20
Lamp head weight, kg	0,7
Power rating warm channel, W	50
Power rating cold channel, W	50
Total power rating (overdrive), W	100

## PIPE JUNIOR 2



Model	PIPE JUNIOR 4
CCT synthesizer, K	2650 - 6000
CRI	96/98
Lamp head size (L × W × H), cm	120 x 20 x 20
Lamp head weight, kg	1,4
Power rating warm channel, W	100
Power rating cold channel, W	100
Total power rating (overdrive), W	200

# PIPE JUNIOR 4



Model	PIPE JUNIOR 6
CCT synthesizer, K	2650 - 6000
CRI	96/98
Lamp head size (L × W × H), cm	180 x 20 x 20
Lamp head weight, kg	2
Power rating warm channel, W	150
Power rating cold channel, W	150
Total power rating (overdrive), W	300

## PIPE JUNIOR 6





Model	PIPE JUNIOR 8
CCT synthesizer, K	2650 - 6000
CRI	96/98
Lamp head size (L × W × H), cm	240 × 20 × 20
Lamp head weight, kg	3
Power rating warm channel, W	200
Power rating cold channel, W	200
Total power rating (overdrive), W	400

# PIPE JUNIOR 8



Model	PIPE 2
CCT synthesizer, K	2650 - 6000
CRI	96/98
Lamp head size (L × W × H), cm	65 × 30 × 20
Lamp head weight, kg	0,7
Power rating warm channel, W	100
Power rating cold channel, W	100
Total power rating (overdrive), W	200

## PIPE 2



Model	PIPE 4
CCT synthesizer, K	2650 - 6000
CRI	96/98
Lamp head size (L × W × H), cm	135 x 30 x 20
Lamp head weight, kg	1
Power rating warm channel, W	200
Power rating cold channel, W	200
Total power rating (overdrive), W	400

# PIPE 4



Model	PIPE 6
CCT synthesizer, K	2650 - 6000
CRI	96/98
Lamp head size (L × W × H), cm	195 × 30 × 30
Lamp head weight, kg	1,4
Power rating warm channel, W	300
Power rating cold channel, W	300
Total power rating (overdrive), W	600

# PIPE 6




Model	PIPE 8
CCT synthesizer, K	2650 - 6000
CRI	96/98
Lamp head size (L × W × H), cm	260 × 30 × 30
Lamp head weight, kg	1,7
Power rating warm channel, W	400
Power rating cold channel, W	400
Total power rating (overdrive), W	800

# PIPE 8




Model	PIPE WIDE 42
CCT synthesizer, K	2650 - 6000
CRI	96/98
Lamp head size (L × W × H), cm	125 × 60 × 20
Lamp head weight, kg	1,2
Power rating warm channel, W	200
Power rating cold channel, W	200
Total power rating (overdrive), W	400

## PIPE WIDE 42



Model	PIPE WIDE 44
CCT synthesizer, K	2650 - 6000
CRI	96/98
Lamp head size (L × W × H), cm	125 × 125 × 20
Lamp head weight, kg	2,4
Power rating warm channel, W	400
Power rating cold channel, W	400
Total power rating (overdrive), W	800

## PIPE WIDE 44



Model	PIPE WIDE 63
CCT synthesizer, K	2650 - 6000
CRI	96/98
Lamp head size (L × W × H), cm	180 x 90 x 20
Lamp head weight, kg	2,4
Power rating warm channel, W	400
Power rating cold channel, W	400
Total power rating (overdrive), W	800


## PIPE WIDE 63







Model	PIPE WIDE 84
CCT synthesizer, K	2650 - 6000
CRI	96/98
Lamp head size (L × W × H), cm	210 × 120 × 20
Lamp head weight, kg	3,6
Power rating warm channel, W	800
Power rating cold channel, W	800
Total power rating (overdrive), W	1600

## PIPE WIDE 84




Model	PIPE TISSON 90
CCT synthesizer, K	2650 - 6000
CRI	96/98
Lamp head size (L × W × H), cm	90 × 90 × 35
Lamp head weight, kg	1,5
Power rating warm channel, W	150
Power rating cold channel, W	150
Total power rating (overdrive), W	300

# PIPE TISSON 90




Model	PIPE TISSON 150
CCT synthesizer, K	2650 - 6000
CRI	96/98
Lamp head size (L × W × H), cm	150 × 150 × 50
Lamp head weight, kg	3
Power rating warm channel, W	300
Power rating cold channel, W	300
Total power rating (overdrive), W	600

# PIPE TISSON 150



# PIPE PYTHON 20



Model	PIPE PYTHON 20
CCT synthesizer, K	2650 - 6000
CRI	96/98
Lamp head size (L × W × H), cm	720 x 30 x 30
Lamp head weight, kg	5
Power rating warm channel, W	800
Power rating cold channel, W	800
Total power rating (overdrive), W	1600



# PIPE PYTHON 20



# TRANSPORTATION KITS DIMENSIONS AND WEIGHT

Model	Weight, kg	Bag Dimensions (L x W x H), cm	Product Package
PIPE JUNIOR 2	5	60x40x25	Transportation bag Lamp Head Protective cover Controller in bag AC-Cable Extension cable (5m) Mounting pad/frame with straps Air pump Repair Kit Skirt in bag  <i>Eggcrate (Soft grid) supplied separately.</i>
PIPE JUNIOR 4	6	60x40x25	
PIPE JUNIOR 6	6	60x40x25	
PIPE JUNIOR 8	6	60x40x25	
PIPE 2	5	60x40x25	
PIPE 4	6	60x40x25	
PIPE 6	7	60x40x25	
PIPE 8	8	60x40x25	
PIPE WIDE 42	12	60x40x25, 60x40x25	
PIPE WIDE 44	14	60x40x25, 60x40x25	
PIPE WIDE 63	16	150x25x25, 105x40x25	
PIPE WIDE 84	18	150x25x25, 105,40x25	
PIPE TISSON 90	5	60x40x25	
PIPE TISSON 150	10	105x40x25	
PIPE PYTHON 20	14	90x60x25	



Pipe Lighting GmbH, Luisenweg 109, 20537 Hamburg, Germany

T +49 40 723 77 273

Mob. +49 151 299 31 049

[www.pipelighting.com](http://www.pipelighting.com)

[info@pipelighting.com](mailto:info@pipelighting.com)





2023, Made in Germany